TMH/DAG:jam 01/26/06 464757 \$98014F PATENT

Attorney Reference Number 7158-71253-12 Application Number 10/716,379

LISTING OF CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application:

- 1-3. (Canceled).
- 4. (Currently amended) A method for determining whether a composition modulates inhibits the activity of a Pinl activity protein having the amino acid sequence set forth in SEQ ID NO: 2, said method comprising:

incubating the composition with a Pin1 protein having the amino acid sequence set forth in SEQ ID NO: 2 or a functional fragment thereof, wherein the functional fragment of the Pin1 protein has protein-protein interaction activity and/or peptidyl prolyl isomerase activity, or with a recombinant cell expressing the Pin1 protein or a functional fragment thereof, under conditions sufficient to allow the components composition to interact with the Pin1 protein or functional fragment thereof; and

determining the effect of the composition on the Pin1 protein activity.

- 5-8. (Canceled).
- 9. (Currently amended) The method of claim 4, wherein the Pin1 protein activity is protein-protein interaction.
- 10. (Currently amended) The method of claim 4, wherein the Pin1 protein activity is peptidyl-prolyl isomerase activity.
 - 11-15. (Canceled).
- 16. (Currently amended) The method of elaim 13 claim 4, wherein the functional fragment comprises at least amino acid residues 59-163 of SEQ ID NO: 2.

TMH/DAG:jam 01/26/06 464757 598014F PATENT

Attorney Reference Number 7158-71253-12 Application Number 10/716,379

17. (Currently amended) The method of claim-13 claim 4, wherein the functional fragment comprises at least amino acid residues 5-43 of SEQ ID NO: 2.

18-19. (Canceled).

- 20. (New) The method of claim 9, wherein the Pin1 protein activity is the binding of the Pin1 protein to a functional fragment of NIMA.
- 21. (New) The method of claim 10, wherein the peptidyl prolyl isomerase activity is not inhibited by cyclosporine A or FK520.